

FASTENERS *For Simpson Strong-Tie® Powder-Actuated Tools*



.300" Headed Fasteners with .157" Shank Diameter

PDPA Drive Pins - For Structural Steel and Extra Hard Concrete

- For A36 and A572 Grade 50 structural steel (red strip load recommended)
- .157 diameter for greater compressive strength
- Manufactured with tight tolerances for superior performance

Length (in.)	Model	Pack Qty	Carton Qty	Compatible Tools	
				Simpson Strong-Tie	Others
1/2	PDPA-50	100	1000	PTP-27, PTP-27AL, PTP-27AS, PT-27, PTM-27, PT-25S, PT-22, PT-22GS, PT-22H, PT-27HD, PTM-27HD	721**, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1/2 knurled	PDPA-50K	100	1000		
1/2 knurled	PDPA-50KM	1000	5000		
5/8 knurled	PDPA-62K	100	1000		
5/8 knurled	PDPA-62KM	1000	5000		
3/4	PDPA-75	100	1000		
3/4	PDPA-75M	1000	5000		



PDPA

.300" Headed Fasteners with .145" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2	PDP-50	100	1,000	PTP-27* PTP-27AL* PTP-27AS** PTM-27 PTM-22 PT-27* PT-25S** PT-22 PT-22GS PT-22H	721**, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1/2 – BULK PACK	PDP-50M	–	1,000		
1/2 Knurled	PDP-50K	100	1,000		
1/2 Knurled – BULK PACK	PDP-50KM	–	1,000		
5/8 Knurled	PDP-62K	100	1,000		
5/8 Knurled – BULK PACK	PDP-62KM	–	1,000		
3/4	PDP-75	100	1,000		
3/4 – BULK PACK	PDP-75M	–	1,000		
1	PDP-100	100	1,000		
1 – BULK PACK	PDP-100M	–	1,000		
1 1/4	PDP-125	100	1,000		
1 1/2	PDP-150	100	1,000		
1 3/4	PDP-175	100	1,000		
2	PDP-200	100	1,000		
2 1/4	PDP-225	100	1,000		
2 1/2	PDP-250	100	1,000		
3	PDP-300	100	1,000		



PDP

See pages 206, 207 and 210 for load value information.

.300" Headed Fasteners with .177" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2	PDPH-50	100	1,000	PTP-27* PTP-27AL* PTP-27AS** PTM-27 PTM-22 PT-27* PT-25S** PT-22 PT-22GS PT-22H	721**, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1/2 Knurled	PDPH-50K	100	1,000		
5/8 Knurled	PDPH-62K	100	1,000		
3/4	PDPH-75	100	1,000		
1	PDPH-100	100	1,000		
1 1/4	PDPH-125	100	1,000		
1 1/2	PDPH-150	100	1,000		
1 3/4	PDPH-175	100	1,000		
2	PDPH-200	100	1,000		
2 1/2	PDPH-250	100	1,000		
3	PDPH-300	100	1,000		



PDPH

See pages 207 and 210 for load value information.

316 Stainless Steel .300" Headed Fasteners with .145" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2	PDP-50SS	100	1,000	PTP-27* PTP-27AL* PTP-27AS** PTM-27 PTM-22 PT-27* PT-25S** PT-22 PT-22GS PT-22H	721**, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1/2 Knurled	PDP-50KSS	100	1,000		
5/8 Knurled	PDP-62KSS	100	1,000		
3/4	PDP-75SS	100	1,000		
1	PDP-100SS	100	1,000		
1 1/4	PDP-125SS	100	1,000		
1 1/2	PDP-150SS	100	1,000		
1 3/4	PDP-175SS	100	1,000		
2	PDP-200SS	100	1,000		
2 1/2	PDP-250SS	100	1,000		
3	PDP-300SS	100	1,000		



PDPSS

See page 206 for load value information.

Powder-Actuated Fastening Systems

*Up to 2 1/2", ** Up to 1 1/2"

*Up to 2 1/2", ** Up to 1 1/2"

FASTENERS For Simpson Strong-Tie® Powder-Actuated Tools

.300" Headed Fasteners with .145" Shank Diameter – Mechanically Galvanized

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
2	PDP-200MG	100	1,000	PTP-27*, PTP-27AL*, PTP-27AS**, PTM-27, PTM-22, PT-27*, PT-25S**, PT-22, PT-22GS, PT-22H	721**, D-60, U-2000, System 1, System 3 and most other low velocity tools.
2½	PDP-250MG	100	1,000		
3	PDP-300MG	100	1,000		



PDPMG

Mechanical Galvanizing meets ASTM B695, Class 65, Type 1. *Up to 2½", **Up to 1½"

.300" Headed Fasteners with .177" Shank Diameter – Mechanically Galvanized

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
2	PDPH-200MG	100	1,000	PTM-27HD PT-27HD	721*, D-60, U-2000, System 1, System 3 and most other low velocity tools.
2½	PDPH-250MG	100	1,000		
3	PDPH-300MG	100	1,000		



PDPHMG

Mechanical Galvanizing meets ASTM B695, Class 65, Type 1. *Up to 2½", **Up to 1½"

.300" Headed Fasteners with .145" Shank Diameter and ¾" Metal Washers

See pages 206 and 210 for load value information.

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
¾	PDPW-75	100	1,000	PTP-27, PTP-27AL, PTP-27AS*, PTM-27, PTM-22, PT-27, PT-25S*, PT-22, PT-22GS, PT-22H	721*, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1	PDPW-100	100	1,000		
1¼	PDPW-125	100	1,000		
1½	PDPW-150	100	1,000		
2	PDPW-200	100	1,000		
2½	PDPW-250	100	1,000		
3	PDPW-300	100	1,000		



PDPW

*Up to 2"

.300" Headed Fasteners with .145" Shank Diameter and 1" Metal Washers

See page 206 for load value information.

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1	PDPWL-100	100	1,000	PTP-27, PTP-27AL, PTP-27AS*, PTM-27, PTM-22, PT-27, PT-25S*, PT-22, PT-22GS, PT-22H	721*, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1¼	PDPWL-125	100	1,000		
1½	PDPWL-150	100	1,000		
2	PDPWL-200	100	1,000		
2½	PDPWL-250	100	1,000		
3	PDPWL-300	100	1,000		
3	PDPWL-300M	–	1,000		
4	PDPWL-400	100	1,000		



PDPWL

*Up to 2"

.300" Headed Fasteners with .145" Shank Diameter and 1" Metal Washers – Mechanically Galvanized with Protective Sleeve

- Provides added corrosion protection in preservative-treated lumber. See page 16 for corrosion information.
- Plastic sleeve protects and preserves coating during installation; washer will not scrape off coating.
- Plastic sleeve prevents washer slipping during installation.

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
2	PDPWL-200MG	100	1,000	PTP-27, PTP-27AL, PTP-27AS*, PTM-27, PTM-22, PT-27, PT-25S*, PT-22, PT-22GS, PT-22H	721*, D-60, U-2000, System 1, System 3 and most other low velocity tools.
2½	PDPWL-250MG	100	1,000		
3	PDPWL-300MG	100	1,000		
3	PDPWLS-300MG	–	1,000		



PDPWLMG
(patent pending)

Mechanical Galvanizing meets ASTM B695, Class 65, Type 1. *PDPWLS has a square washer.

316 Stainless Steel .300" Headed Fasteners with .145" Shank Diameter and 1" Metal Washers*

See page 206 for load value information.

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1	PDPWL-100SS	100	1,000	PTP-27, PTP-27AL, PTP-27AS**, PTM-27, PTM-22, PT-27, PT-25S**, PT-22, PT-22GS, PT-22H	721**, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1¼	PDPWL-125SS	100	1,000		
1½	PDPWL-150SS	100	1,000		
2	PDPWL-200SS	100	1,000		
2½	PDPWL-250SS	100	1,000		
3	PDPWL-300SS	100	1,000		
4	PDPWL-400SS	100	1,000		



PDPWL-SS

*Washers are 304 Stainless Steel, **Up to 2"

.300" Headed Fasteners with 1" Metal Washers with .177" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1	PDPHWL-100	100	1,000	PTM-27HD PT-27HD	721*, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1¼	PDPHWL-125	100	1,000		
1½	PDPHWL-150	100	1,000		
2	PDPHWL-200	100	1,000		
2½	PDPHWL-250	100	1,000		
3	PDPHWL-300	50	500		
4	PDPHWL-400	50	500		



PDPHWL

*Up to 2"

.300" Headed Fasteners with .145" Shank Diameter and 1¼" Metal Washers

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1	PINW-100	50	500	PTP-27, PTP-27AL, PTM-27, PTM-22, PT-27, PT-22, PT-22GS, PT-22H	721, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1¼	PINW-125	50	500		
1½	PINW-150	50	500		
1¾	PINW-175	50	500		
2	PINW-200	50	500		
2¼	PINW-225	50	500		
2½	PINW-250	50	500		
3	PINW-300	50	500		



PINW

Powder-Actuated Fastening Systems

C-SAS-2009 © 2009 SIMPSON STRONG-TIE COMPANY INC.

FASTENERS *For Simpson Strong-Tie® Powder-Actuated Tools*



.300" Headed Fasteners with .145" Shank Diameter and 1 3/8" Plastic Washers

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1	PINWP-100	50	500	PTP-27*	721*, D-60, U-2000, System 1, System 3 and most other low velocity tools.
1 1/4	PINWP-125	50	500	PTP-27AL*	
1 1/2	PINWP-150	50	500	PTM-27	
1 3/4	PINWP-175	50	500	PTM-22	
2	PINWP-200	50	500	PT-27*	
2 1/2	PINWP-250	50	500	PT-22	
3	PINWP-300	50	500	PT-22GS, PT-22H	



PINWP

*Up to 2 1/2"

.300" Headed Tophat Fasteners with .145" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2 Knurled	PDPT-50K	100	1,000	PTP-27, PTP-27AL	721, D-60, U-2000, System 1, System 3 and most other low velocity tools.
5/8 Knurled	PDPT-62K	100	1,000	PTP-27AS, PTM-27, PTM-22	
3/4	PDPT-75	100	1,000	PT-27, PT-25S	
1	PDPT-100	100	1,000	PT-22, PT-22GS, PT-22H	




PDPT

See page 208 for load value information.

Highway Basket Clips – .300" Headed Fasteners with .145" Shank Diameter

Description	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
Clip with 1 1/2" Pin	PHBC-150	100	1,000	PTP-27, PTP-27AL	DX-A41, Autofast
Clip with 2" Pin	PHBC-200	100	1,000	PTM-27, PTM-22	
Clip with 2 1/2" Pin	PHBC-250	50	1,000	PT-27, PT-22	



PHBC

Pre-Assembled BX Cable Straps and Conduit Straps – .300" Headed Fasteners with .145" Shank Diameter

Description	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
BX Cable Strap with 1" Pin	PBXDP-100	100	1,000	PTP-27	D-60, 721, System 1, System 3, DX-350 and most other tools.
BX Cable Strap with 1 1/4" Pin	PBXDP-125	100	1,000	PTP-27AL	
Conduit Clip 1/2" EMT with 1" Pin	PCC50-DP100	100	1,000	PTP-27AS	
Conduit Clip 1/2" EMT with 1 1/4" Pin	PCC50-DP125	100	1,000	PTM-27	
Conduit Clip 3/4" EMT with 1" Pin	PCC75-DP100	50	500	PTM-22	
Conduit Clip 3/4" EMT with 1 1/4" Pin	PCC75-DP125	50	1,000	PT-27	
Conduit Clip 1" EMT with 1" Pin	PCC100-DP100	50	500	PT-25S	
Conduit Clip 1" EMT with 1 1/4" Pin	PCC100-DP125	50	500	PT-22	
				PT-22GS	
				PT-22H	



PBXDP

PCC

Pre-Assembled Ceiling Clips – .300" Headed Fasteners with .145" Shank Diameter

Description	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
Compact Ceiling Clip - No Pin	PCL	100	1,000	PTP-27	DX-350, System 1, 721 and most other tools.
Compact Ceiling Clip with 1" Pin	PECLDP-100	100	1,000	PTP-27AL	
Compact Ceiling Clip with 1" Pin - BULK PACK	PECLDP-100M	-	1,000	PTP-27AS	
Compact Ceiling Clip with 1 1/4" Pin	PECLDP-125	100	1,000	PTM-27	
Compact Ceiling Clip with 1 1/4" Pin - BULK PACK	PECLDP-125M	-	1,000	PTM-22	
Ceiling Clip with 1" Pin	PCLDP-100	100	1,000	PT-27	
Ceiling Clip with 1 1/4" Pin	PCLDP-125	100	1,000	PT-25S	
				PT-22	
				PT-22GS	
				PT-22H	

See pages 207 and 209 for load value information.



PCLDP (PCL similar without pin)

See page 209 for load value information.



PECLDP

3/8" Headed Fasteners* with .145" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
3/4 Knurled	PHV3-75K	100	1,000	PTM-27HD, PT-27HD	DX-451, DX-600, MD-380, DX-A41 I, R6000 and most other 3/8" barrel tools.
1	PHV3-100	100	1,000		
1 1/4	PHV3-125	100	1,000		
1 1/2	PHV3-150	100	1,000		
2	PHV3-200	100	1,000		
2 Knurled	PHV3-200K	100	1,000		
2 1/2	PHV3-250	100	1,000		
3	PHV3-300	100	1,000		



PHV3

*Not intended for use in high velocity tools.

For alternate overhead fastening, see the Tie Wire wedge anchor on page 136 or Tie Wire Crimp anchor on page 170.

FASTENERS For Simpson Strong-Tie® Powder-Actuated Tools

1/4" – 20 Threaded Studs*

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/4 - 20 Knurled (T-1/2, S-1/2)	PSLV4-5050K	100	1,000	PTP-27 PTP-27AL PTM-27 PTM-22 PT-27 PT-22 PT-22GS PT-22H	Most L.V. piston tools.
1/4 - 20 (T-1/2, S-3/4)	PSLV4-5075	100	1,000		
1/4 - 20 (T-1/2, S-1)	PSLV4-50100	100	1,000		
1/4 - 20 (T-1/2, S-1 1/4)	PSLV4-50125	100	1,000		
1/4 - 20 (T-3/4, S-3/4)	PSLV4-7575	100	1,000		
1/4 - 20 Knurled (T-3/4, S-1/2)	PSLV4-7550K	100	1,000		
1/4 - 20 (T-3/4, S-1)	PSLV4-75100	100	1,000		
1/4 - 20 (T-3/4, S-1 1/4)	PSLV4-75125	100	1,000		
1/4 - 20 (T-1, S-1)	PSLV4-100100	100	1,000		
1/4 - 20 Knurled (T-1 1/4, S-1/2)	PSLV4-12550K	100	1,000		
1/4 - 20 (T-1 1/4, S-1 1/4)	PSLV4-125125	100	1,000		

*Shank diameter is .150". NOTE: T = Thread Length, S = Shank Length.

See pages 208 and 211 for load value information.



PSLV4

3/8" – 16 Threaded Studs* (Factory Mutual Listing-see below)

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
3/8 - 16 Knurled (T-1 1/4, S-3/4)	PSLV3-12575K	100	1,000	PTM-27HD PT-27HD	Most other 3/8" Barrel tools.
3/8 - 16 (T-1 1/4, S-1)	PSLV3-125100	100	1,000		
3/8 - 16 (T-1 1/4, S-1 1/4)	PSLV3-125125**	100	1,000		

*Shank diameter is .205". NOTE: T = Thread Length, S = Shank Length.

**Factory Mutual Listing 3031724

See pages 207, 208 and 211 for load value information.



PSLV3

Powder-Actuated Fastening Systems

Metric Fasteners

8MM Headed Fasteners with 3.68MM Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2 Knurled	PHN-14K	100	1,000	PTP-27* PTP-27AL* PTP-27AS** PTM-27 PT-27 PT-25S PT-22 PT-22GS PT-22H	DX-350, DX-36, DX-400E, DX-A40, DX-460, DX-A41, System 1, DX-351 and 8mm tools.
5/8 Knurled	PHN-16K	100	1,000		
3/4 Knurled	PHN-19K	100	1,000		
7/8	PHN-22	100	1,000		
1	PHN-27	100	1,000		
1 1/4	PHN-32	100	1,000		
1 1/2	PHN-37	100	1,000		
1 5/8	PHN-42	100	1,000		
1 7/8	PHN-47	100	1,000		
2	PHN-52	100	1,000		
2 1/4	PHN-57	100	1,000		
2 1/2	PHN-62	100	1,000		
2 7/8	PHN-72	100	1,000		

*Up to 2 1/2",
**Up to 1 1/2"

See pages 206, 207 and 211 for load value information.



PHN

Metric Fasteners (Cont'd)

8MM Headed Fasteners with 3.68MM Shank Diameter and 1" Metal Washers

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1	PHNW-27	100	1,000	PTP-27 PTP-27AL PTP-27AS* PTM-27 PTM-22 PT-27 PT-25S* PT-22 PT-22GS PT-22H	DX-350, DX-36, DX-400E, DX-A40, DX-A41, DX-460, System1, DX-351 and 8mm tools.
1¼	PHNW-32	100	1,000		
1½	PHNW-37	100	1,000		
1⅝	PHNW-42	100	1,000		
1⅞	PHNW-47	100	1,000		
2	PHNW-52	100	1,000		
2¼	PHNW-57	100	1,000		
2½	PHNW-62	100	1,000		
2⅝	PHNW-72	100	1,000		

*Up to 2"

See pages 206 and 211 for load value information.



PHNW

6MM Headed Fasteners with 3.68MM Shank Diameter and 12MM Washers

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools
7/8	PHK-22	100	1,000	DX-100L, DX-300, DX-400B, DX-450, DX-460, DX-451 and 12mm tools.
1	PHK-27	100	1,000	
1¼	PHK-32	100	1,000	
1½	PHK-37	100	1,000	
1⅝	PHK-42	100	1,000	
2	PHK-52	100	1,000	
2½	PHK-62	100	1,000	
2⅞	PHK-72	100	1,000	



PHK

8MM Headed Tophat Fasteners with 3.68MM Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
5/8 Knurled	PHNT-16K	100	1,000	PTP-27, PTP-27AL PTP-27AS, PTM-27 PTM-22, PT-27 PT-25S, PT-22 PT-22GS, PT-22H	DX-35, DX-351, and most 8mm tools.
¾ Knurled	PHNT-19K	100	1,000		
7/8	PHNT-22	100	1,000		
1	PHNT-27	100	1,000		

See page 209 for load value information.



PHNT

FASTENERS For Simpson Strong-Tie® Powder-Actuated Tools

Metric Fasteners (Cont'd)

Collated Fasteners - 8mm Headed with 3.68 MM Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2 Knurled	PHSNA-14K	100	1,000	PTP-27ASMAGR (thru 32mm) PTP-27ALMAGR (thru 72mm)	DX-A40 with magazine, DX-A41 with magazine, DX-351, DX-460 with magazine
5/8 Knurled	PHSNA-16K	100	1,000		
3/4	PHSNA-19	100	1,000		
3/4 Knurled	PHSNA-19K	100	1,000		
7/8	PHSNA-22	100	1,000		
1	PHSNA-27	100	1,000		
1 1/4	PHSNA-32	100	1,000		
1 1/2	PHSNA-37	100	1,000		
1 5/8	PHSNA-42	100	1,000		
1 7/8	PHSNA-47	100	1,000		
2	PHSNA-52	100	1,000		
2 1/4	PHSNA-57	100	1,000		
2 1/2	PHSNA-62	100	1,000		
2 7/8	PHSNA-72	100	1,000		

See pages 206 and 211 for load value information.




PHSNA

Threaded Rod Hangers - 8mm Headed with 3.68 MM Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1 1/4, 1/4 - 20 Threaded Rod Hanger	PTRH4-HN32	50	500	PTP-27, PTP-27AL PTP-27AS, PTM-27 PTM-22, PT-27	DX-351, DX-350, DX-36, DX-35, DX-A40
1 1/4, 3/8 - 16 Threaded Rod Hanger	PTRH3-HN32	50	500	PT-25S, PT-22 PT-22GS, PT-22H	

See pages 207 and 209 for load value information.



PTRH3

Concrete Forming Pin - .187" Headed with .145" Shank Diameter

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
3/16 x 2 1/2 Concrete Forming Pin	PKP-250	100	1,000	PTP-27, PTP-27AL PTM-27, PTM-22 PT-27, PT-22 PT-22GS, PT-22H	DX-Series and 8mm tools.



PKP

Powder-Actuated Fastening Systems

NOTE: Lengths in inches are for reference only and may not be exact.

Miscellaneous

1/4" Headed Hammer Drive Fastener with 3/8" Metal Washer

Length (in.)	Model	Pack Qty.	Carton Qty.	Compatible Tools	
				Simpson Strong-Tie	Others
1/2	PHD-50	100	1,000	PHT-38	HT-38, R-260, R-375, XL-143, and other hammer drive tools.
3/4	PHD-75	100	1,000		
1	PHD-100	100	1,000		
1 1/4	PHD-125	100	1,000		
1 1/2	PHD-150	100	1,000		
2	PHD-200	100	1,000		
2 1/2	PHD-250	100	1,000		
3	PHD-300	100	1,000		



PHD



PHT-38



Warning: Do not use powder loads with this tool. This is a hammer drive tool only. Use of powder loads with this tool may result in injury or death.

Manual Hammer Tool (not for use with powder loads)

Powder-Actuated Tool Repair and Maintenance Kits

Tool	Kit Model No.	Description	Contents
PTP-27AL	PTP-27ALPK1A	Normal wear part replacement kit	1 Piston (Part No. PTP-730070CH)
			1 Piston Disc (Part No. PTP-730071CH)
			5 Rubber Returners (Part No. PTP-730008)
PTP-27AL	PTP-27ALPK2A	Power regulator rebuild kit	1 Regulator Bolt (Part No. PTP-914020)
			1 Regulator Nut (Part No. PTP-914021)
			1 Regulator Shock Absorber Assembly (Part No. PTP-720061)
			1 Regulator Cover (Part No. PTP-914590)
			2 Regulator Cover Screws (Part No. PTP-BN11288)
PTM-27	PTM-27PK1	Normal wear part replacement kit	1 Piston (Part No. PTM-01112) 2 Buffers (Part No. PTM-01114)
PTM-27	PTM-27PK2	Piston reset assembly rebuild kit (Note: for tools with 'A' suffix on serial number only)	1 Piston Reset Pin (Part No. PTM-01107)
			1 Piston Reset Spring (Part No. PTM-03122)
			1 Piston Reset Cap (Part No. PTM-03108)
PTM-27	PTM-27PK3	Trigger / load advance rebuild kit	1 Trigger (Part No. PTM-01109)
			1 Trigger Extension (Part No. PTM-01109A)
			1 Advance Lever (Part No. PTM-01118)
			1 Advance Lever Spring (Part No. PTM-01128)
			1 Lever Pilot Screw (Part No. PTM-01137)
			1 Handle Pad Assembly (Part No. PTM-01116A)
PT-27	PT-27PK1	Normal wear part replacement kit	5 Shear Clips (Part No. PT-301011)
			1 Annular Spring (Part No. PT-301014)
			1 Piston Stop (Part No. PT-301012)
			3 Ball Bearings (Part No. PT-301013)
			1 Piston (Part No. PT-301903)
			2 Piston Rings (Part No. PT-301208)
			1 Nosepiece (Part No. PT-301010)
All	PT-MK1	Tool cleaning kit	1 Cleaning Brush - Wire (Part No. BRUSH 125)
			1 Cleaning Brush 3/4" Diameter (Part No. BRUSH 25)
			1 Cleaning Brush 1/4" Diameter (Part No. BRUSH 75)
			1 PAT Tool Lubricant - 4 oz. spray bottle (Part No. PT-MTL4.0)
			(1) 1/8" Hex Wrench (Part No. MW-18)
			(1) 3/16" Hex Wrench (Part No. MW-316)
All	PT-MTL4.0	Tool lubricant	(1) 5mm Hex Wrench (Part No. MW-5)
			4 oz. spray bottle